CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001								
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
37300	- Channel Lighted Buoy 10	40 38 34 N 74 07 44 W	Q R			Red.	28/02	
37325	Bergen Point Lighted Buoy 14	40 38 33 N 74 08 41 W	FIR 4s		4	Red.	28/02	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
000 680	WACHAPREAGUE CHANNEL LIGHT 10		FIR 4s	15	3	TR on pile.	
							* 28/0
420	- LIGHT 226		FI R 2.5s	15	4	TR on multi-pile structure.	
						*	28/0.
460	- LIGHT 236		FIR 4s	15	3	TR on multi-pile structure.	
						*	* 28/0
470	- LIGHT 239		FI G 4s	15	4	SG on multi-pile structure.	Light equipment removed when endangered by ice.
						*	28/0
500	- LIGHT 246		FIR 4s	15	3	TR on multi-pile structure.	Light equipment removed when endangered by ice.
						*	28/0
510	- LIGHT 248		FIR 4s	15	3	TR on multi-pile structure.	Light equipment removed when endangered by ice.
						*	28/0
520	- LIGHT 249		FI G 4s	15	4	SG on multi-pile structure.	Light equipment removed when endangered by ice.
						*	28/0
530	- LIGHT 252		FIR 4s	15	3	TR on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
						*	28/0
540	- LIGHT 255		FI G 4s	15	4	SG on pile.	
							* 28/0
585	- LIGHT 266		FIR 4s	15	3	TR on multi-pile structure.	Light equipment removed when endangered by ice.
						*	28/0

		CORRE	ECTIONS TO C. G. LIG	HT LIST, VO	LUME II I	LIGHT LIST, 2002		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
	Wachapreague Channel							
6655	- LIGHT 4		FI R 2.5s	15	4	TR on multi-pile structure.		
						*		28/02
6665	- LIGHT 7		FI G 2.5s	15	3	SG on multi-pile structure.		
						*		28/02
6680	- LIGHT 10		FIR 4s	15	3	TR on pile.		
6000								
							*	28/02
6795	NORTH INLET LIGHT 2		FIR 4s	15	4	TR on multi-pile structure.	Light equipment removed endangered by ice.	when
						*		28/02
7245	OLD PLANTATION FLATS	37 13 44 N	FI W 4s	39	8	NB on pile.	Higher intensity beam tov	vard
21435	LIGHT	76 02 49 W					ž00°.	
		*			*			28/02
7275	- Lighted Buoy 42	37 25 37 N 76 05 07 W	FIR 4s		5	Red.	Racon: O ()	
	*	*					*	28/02
7325	STINGRAY POINT LIGHT	37 33 42 N	FI W 4s	34	8	NG on platform.		
		76 16 23 W				·		
		*						28/02
7435 22715	Tangier Sound Light	37 47 15 N 75 58 25 W	FI W 6s (R sector)	45	W 12 R 9	NB on white square tower on piles.	Red from 115° to 193°.	
		*			*			28/02
*10881	HRSD Newport News Point		FI W 4s			White.	Private aid.	
	Outfall Lighted Buoy BH							
								28/02
21435 7245	OLD PLANTATION FLATS LIGHT	37 13 44 N 76 02 49 W	FI W 4s	39	8	NB on pile.	Higher intensity beam tov 200°.	vard
		*			*			28/02
22715	- Light	37 47 15 N	FI W 6s	45	W 12	NB on white square tower on	Red from 115° to 193°.	
7435		75 58 25 W *	(R sector)		R 9	piles.		00/00
		*			*			28/02
	Newport River							
	Beaufort Harbor Channel							
34805	- Lighted Buoy 2	34 42 13 N 76 40 38 W	FI R 2.5s		3	Red.		
		*						28/02

	CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2001									
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks			
*1851	-Buoy 26					Red nun.				
								28/02		
1855	- Buoy 27					Green can.				
	*					*		28/02		
1860	- Buoy 28						Remove from list.			
							*	28/02		
7645	Commodore Point Shoal Lighted Buoy 80 Off shoal.		QR		3	Red.				
			*					28/02		
7665	Commodore Point Lighted		FIR 4s		3	Red.				
	Buoy 82		*		*	*		00/00		
			•		•	•		28/02		
	*Add Heading: *Mariners Club Marina									
*11917.1	- Daybeacon 1	25 04 16 N 80 27 33 W				SG on pile.	Private aid.			
								28/02		
*11917.2	-Daybeacon 2					TR on pile.	Private aid.			
								28/02		
*11917.3	-Daybeacon 4					TR on pile.	Private aid.			
*44047.4	-Daybeacon 6					TD on rile	Private aid.	28/02		
11917.4	-Daybeacon 6					TR on pile.	Private atd.	28/02		
*11917.5	-Daybeacon 8					TR on pile.	Private aid.			
								28/02		
	*Add Headings: *Hawk Channel									
11920	Key Largo Daybeacon 37					SG on pile.				
								28/02		
	*Add Heading: *Addison Bay									
*16901.1	-Daybeacon 1	25 58 03 N				SG on pile.	Private aid.			
	,	81 40 33 W				·				
*16001.2	-Daybeacon 2					TR on pile.	Privaye aid.	28/02		
10301.2	-Daybeacoll 2					rix oii piic.	r iivay <del>o</del> alu.	28/02		
*16901.3	-Daybeacon 3					SG on pile.	Private aid.			
								28/02		

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2001									
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks		
*16901.4	-Daybeacon 4					TR on pile.	Private aid.		
								28/02	
*16901.5	-Daybeacon 5					SG on pile.	Private aid.		
*16001.6	-Daybeacon 6					TD on pile	Private aid.	28/02	
10901.0	-Daybeacon 6					TR on pile.	Private ald.	28/02	
*16901.7	Daybeacon 7					SG on pile.	Private aid.		
								28/02	
*16901.8	-Daybeacon 8					TR on pile.	Private aid.		
								28/02	
	*Change Headings to Read: *Gullivan Bay *Caxambas Pass								
16905	- ENTRANCE LIGHT C	25 54 18 N 81 44 12 W	Mo (A) W	8		NR on pile.	Private aid.		
								28/02	
25535	- Daybeacon 2					SG on pile.	Private aid.		
	*							28/02	
25540	- Daybeacon 3					TR on pile.	Private aid.		
	*							28/02	
25555	- Daybeacon 8					SG on pile.	Private aid.		
	*							28/02	
32295.5	- Isla de Mona Southeast Light		FI (2) W 6s	15	10	On steel tower.	Light may be obsured by masses when viewed fi approximate bearings ( 180°.	rom	
			*					28/02	

	CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001									
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks			
	Dabob Bay									
17875	PULALI POINT LIGHT	47 44 17 N 122 51 11 W	FI W 4s	35	5	NG on white house.	Ra ref.			
		*		*				28/02		
17905	LYNCH COVE DOCK LIGHTS (2)	47 25 18 N 122 54 00 W	F W	14			Private aid.			
	*							28/02		